


MICC Cable Fixing Instruction


Single Clips & Two Way Saddles

Fixing Distances Vertical



Cable Diameter	Surface	Behind Plaster	In Roof Space / Suspended Ceiling
Up to 9mm	375mm (15")	500mm (20")	450mm (18")
9mm / 15mm	425mm (17")	————	500mm (20")
15mm / 22mm	500mm (20")	————	650mm (24")


Fixing Distances Horizontal



Cable Diameter	Surface	Behind Plaster	In Roof Space / Suspended Ceiling
Up to 9mm	350mm (14")	500mm (20")	450mm (18")
9mm / 15mm	375mm (15")	————	500mm (20")
15mm / 22mm	450mm (18")	————	650mm (24")



P clip Reference WRCHL	Approximate Diameters of cables mm (Reference A)	Fixing Hole mm (Reference B)	Wood Screw Number	Suitable for the following LSZH Served OR CCM MICC Cables
26*	6.6 - 6.9	4	6	2L1, 1H2.5
28*	7.3 - 7.6	4	6	2L1.5, 3L1, 1H4
30*	7.7 - 8.0	5.25	8	3L1.5, 4L1, 1H6
32*	8.1 - 8.4	5.25	8	2L2.5
34*	8.7 - 9.0	5.25	8	3L2.5, 4L1.5, 1H10
37*	9.4 - 9.9	5.25	8	2L4, 4L2.5, 7L1, 1H16, 2H1.5, 3H1.5
40*	10.3 - 10.8	5.25	8	7L1.5, 2H2.5
43*	10.9 - 11.3	5.5	10	7L2.5, 1H25, 2H4, 3H2.5, 4H1.5
47*	12.4 - 12.8	5.5	10	1H35, 2H6, 3H4, 4H2.5, 7H1.5
51*	13.1 - 13.4	5.5	10	3H6, 4H4
54*	13.6 - 14.8	5.5	10	1H50, 2H10, 4H6, 7H2.5
59*	15.2 - 15.6	5.5	10	1H70, 3H10, 12H1.5
63*	16.4 - 16.8	5.5	10	2H16, 4H10
67*	16.9 - 17.3	7.1	14	1H95
71*	18.1 - 18.6	7.1	14	3H16, 12H2.5, 19H1.5
75*	19.2 - 19.6	7.1	14	1H120, 2H25, 3H25, 4H16
79*	20.0 - 21.4	7.1	14	1H150
88*	22.9 - 22.5	7.1	14	1H185, 4H25
101*	25.8 - 26.2	7	14	1H240

* Standard Colour e.g. RD = RED, OE = ORANGE, BK = Black, WE = White




MICC Cable Fixing Instruction

Single Clips & Two Way Saddles

Fixing Distances Vertical 	
Cable Diameter	On Cable Tray
Up to 9mm	500mm (20")
9mm / 15mm	650mm (24")
15mm / 22mm	700mm (28")
Fixing Distances Horizontal 	
Cable Diameter	On Cable Tray
Up to 9mm	500mm (20")
9mm / 15mm	650mm (24")
15mm / 22mm	700mm (28")

Saddle Reference WRSFL	Approximate Diameters of cables mm (Reference A)	Hole Size mm (Reference B)	Fixing Centre mm (Reference C)	Wood Screw Number	Suitable for the following LSZH Served OR CCM MICC Cables
272*	2 x 6.8 - 7.2	4.0	27.0	6	2L1, 1H2.5, 1H4
302*	2 x 7.6 - 8.0	4.0	27.0	6	2L1.5, 3L1
342*	2 x 8.6 - 9.0	5.25	36.0	8	2L2.5, 3L1.5 ,3L2.5, 4L1.5, 1H6, 1H10
382*	2 x 9.6 - 10.1	5.25	36.0	8	2L4, 7L1, 2H1.5
422*	2 x 10.6 - 11.1	5.25	36.0	8	4L2.5, 7L1.5, 1H16, 2H2.5, 3H1.5
462*	2 x 11.6 - 12.1	5.5	49.0	10	7L2.5, 1H25, 2H4, 3H2.5, 4H1.5, 4H2.5
502*	2 x 12.4 - 13.3	5.5	49.0	10	1H35 ,2H6 ,3H4, 7H1.5
542*	2 x 13.4 - 14.3	5.5	49.0	10	1H50, 3H6, 4H4, 7H2.5
592*	2 x 14.4 - 15.3	5.5	49.0	10	2H10, 4H6
632*	2 x 15.4 - 17.2	5.5	49.0	10	1H70, 3H10, 12H1.5
702*	2 x 17.3 - 18.2	7.1	62.0	10	1H95, 2H16 ,4H10
752*	2 x 18.3 - 20.1	7.1	62.0	14	1H120, 2H25, 3H16, 4H16, 12H2.5, 19H1.5
812*	2 x 20.2 - 21.0	7.1	62.0	14	1H150, 3H25
932*	2 x 22.7 - 23.2	7.1	73.0	14	1H185, 4H25
1042*	2 x 25.6 - 26.1	7.1	73.0	14	1H240

* Standard Colour e.g. RD = RED, OE = ORANGE, BK = Black, WE = White



Fixing Hole Diameter / Centres And Screw / Bolt Sizes

WMC clip reference		Fixing Hole Details		Scre Or Bolt Size			
WRC & WRCHL Clip	WRS & WRSFL Two Way Saddles	Screw or Bolt size	Clip & Saddle Hole Dia	Wood Screw	ISO Metric	B.A.	BSW BSF
Size	Size	mm	mm	No	mm	No	Inch
20 - 28	202 - 302	26.9	4.0	6	3	4	-
30 - 47	342 - 422	35.6	5.2	8	5	2	3/16
51 - 63	462 - 632	48.3	5.6	10	5	1	-
67 - 105	702 - 812	61.0	7.2	14	6	0	1/4
67 - 105	872	64.2	7.2	14	6	0	1/4
67 - 105	932	66.7	7.2	14	6	0	1/4
67 - 105	982 - 1042	73	7.2	14	6	0	1/4

